


DENTIS Multi-Unit Abutment



Multi-Unit Abutment



Wide range of G/H


- Straight 1.5 / 2.5 / 3.5 / 4.5 / 5.5mm
- Angled 17° 1.5 / 2.5 / 3.5 / 4.5mm
- Angled 30° 1.5 / 2.5 / 3.5 / 4.5mm



Connection
Mini, Regular

Composition of Scanbody and Digital Lab Analog

- Digital Work-Flow is available
- Exclusive Library (3shape / Exocad)























Scanbody



MU Digital Lab Analog

Prosthetic Flow Diagrams for MU Abutment System


Description	Flow	Tool
Screw	 Cylinder Screw	 1.25 Hex Driver
Cylinder	 CCM  Temporary	
Lab Analog		
Impression Coping & Scanbody	 Transfer  Pick-up  Scanbody	 1.25 Hex Driver
Mu Healing Cap		 1.25 Hex Driver
Abutment	 Straight  Angled	 Straight driver  1.25 Hex Driver
	 Cover Screw  Healing Abutment	 1.25 Hex Driver
SQ Fixture	 SQ 03.5~4.0  SQ 04.5~8.0	 No-Mount Driver  Ratchet Driver

Multi-Unit Abutment Line-Up

MU Straight Abutment Recommended Torque: 30Ncm


Mini

Diameter	Hex Size	Cuff	Code No.
Ø4.8	Sole Type	1.5	DSMUSM15S
		2.5	DSMUSM25S
		3.5	DSMUSM35S
		4.5	DSMUSM45S
		5.5	DSMUSM55S




Regular

Diameter	Hex Size	Cuff	Code No.
Ø4.8	Sole Type	1.5	DSMUS15S
		2.5	DSMUS25S
		3.5	DSMUS35S
		4.5	DSMUS45S
		5.5	DSMUS55S




s-Clean MU Angled Abutment



Mini Recommended Torque: 20Ncm


Diameter	Hex Size	Angled	G/H1	G/H2	Code No.
Ø4.8	Hex 2.1	17	1.5	3	DSMUAM1715S
			2.5	4	DSMUAM1725S
			3.5	5	DSMUAM1735S
			4.5	6	DSMUAM1745S
		30	1.5	4	DSMUAM3015S
			2.5	5	DSMUAM3025S
			3.5	6	DSMUAM3035S
			4.5	7	DSMUAM3045S



Screw Code : DSMUASM

Regular Recommended Torque: 30Ncm

Diameter	Hex Size	Angled	G/H1	G/H2	Code No.
Ø4.8	Hex 2.5	17	1.5	3	DSMUA1715S
			2.5	4	DSMUA1725S
			3.5	5	DSMUA1735S
			4.5	6	DSMUA1745S
		30	1.5	4	DSMUA3015S
			2.5	5	DSMUA3025S
			3.5	6	DSMUA3035S
			4.5	7	DSMUA3045S




Screw Code : DSMUAS

Multi-Unit Abutment

DENTIS Multi Unit Abutment is designed for fixed and screw-retained restoration of partially and completely edentulous arches, including the All-on-4 treatment. The system consists of straight and angled (17° and 30°) abutments with a diverse choice of gingiva heights to match the thickness of the soft tissue and depth of implant placement.

By placing four fixtures in the patient's mouth, a hybrid denture which is the most similar oral condition with natural teeth. The most cost-effective treatment is available with Multi Unit Abutments.

In general, two of the MU straight abutments for anterior and two of the MU angled type abutments for posterior positions are connected.



Features

- All-On-4 treatment is possible with MU straight and angled type abutments.
- As for All-On-4 concept, two fixtures are placed at an angle in the posterior and disperse vertical load. The other two fixtures are placed in the anterior area and retains a hybrid denture.
- The scanbody makes the digital work-flow possible.
- It's compatible with Nobel Biocare Multi-Unit System.

MU Straight Abutment Driver

Code No.
DSMUSD


※ For fixing MU Straight Abutment



Impression Coping

	Code No.
MU Transfer Coping	DSMUTICSS
MU Pick-up Coping	DSMUPICSS

Transfer Screw : DSMUTICS
 Pick-up Screw : DSMUPICS



Cylinder

	Code No.
MU CCM Cylinder	DSMUCCS
MU Temporary Cylinder	DSMUTCS

MU Cylinder Screw : DSMUCS




MU Scanbody

Code No.
*DSMUSBSS
*DSMUSBLS

MU Scanbody Screw : DSMUSS

* Coming soon



MU Healing Cap

Code No.
DSMUHC



MU Digital Lab Analog

	Code No.
MU Digital Lab Analog	DSMUSDL



www.dentisimplant.co.kr



Tel. +82-1899-2804 | Fax. +82-53-583-2806
99, Seongseoseo-Ro, Dalseo-Gu, Daegu, Korea



Tel. +1-323-677-4363 | Fax. +1-323-677-4366
6 Centerpointe Drive, Suite 600 La Palma CA 90623



Tel. +021-5111-3828 | Fax. +021-5111-3828
上海市长宁区中山西路933号2205室

©2021 DENTIS Co.,Ltd.
All Right Reserved.
Specifications are subject to change without notice.
Trademarks are the property of DENTIS Co., Ltd. Or their respective owners.

D-C-MJA-V1-202104-ENG